

10733129  
update**Freeform Search**

**Database:** US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

**Term:** L3 and (remote or wireless or radio frequency or  
RF or antenna or transmitter or receiver or  
transsiver)

**Display:** 10 **Documents in Display Format:** - **Starting with Number** 1

**Generate:** ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search Clear Interrupt

**Search History**

**DATE:** Monday, August 29, 2005 [Printable Copy](#) [Create Case](#)

Set

Name Query

side by  
side

DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ

L6 L3 and (remote or wireless or radio frequency or RF or antenna or transmitter or receiver or trans:

L5 L3 and (remote or wireless or radio frequency or RF or antenna or transmitter or receiver or transi

L4 L3 and (remote or wireless or radio frequency or RF or antenna or transmitter or receiver or transi

L3 L2 and (hand adj1 held or portable)

L2 L1 and (food or cook\$3 or meat or beef)

L1 (374/155,141,179,149,150,208;340/870.17,870.04,870.09,870.01,501,588,589,584,585;99/342,34  
[CCLS])

END OF SEARCH HISTORY

## Freeform Search

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
<b>Term:</b>	L25 and (controller or microcontroller)
<b>Display:</b>	10 Documents in <b>Display Format:</b> TI Starting with Number 1
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

---

---

### Search History

---

DATE: Monday, August 29, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L28</u>	L25 and (controller or microcontroller)	1	<u>L28</u>
<u>L27</u>	L25 and "processor"	0	<u>L27</u>
<u>L26</u>	L25 and (microprocessor\$1)	0	<u>L26</u>
<u>L25</u>	20030202558	1	<u>L25</u>
<u>L24</u>	L23 and (Chang)	2	<u>L24</u>
<u>L23</u>	L21 and (hand adj1 held)	47	<u>L23</u>
<u>L22</u>	L21 and L20	1	<u>L22</u>
<u>L21</u>	374/\$.ccls.	941	<u>L21</u>
<u>L20</u>	(HAND adj1 HELD) AND (Chung)	219	<u>L20</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	L18 and (Chapman)	5	<u>L19</u>
<u>L18</u>	(first hand\$1held) and (microprocessor)	79	<u>L18</u>
<u>L17</u>	(first hand\$1held) same (microprocessor)	7	<u>L17</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L16</u>	L15 and "nickel"	0	<u>L16</u>

<u>L15</u>	3428926.pn.	1	<u>L15</u>
<u>L14</u>	3317353.pn.	1	<u>L14</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L13</u>	L7 and (twist\$3 cable or wound cable or braid\$3 cable or wind\$3 cable or strand\$3 cable)	6	<u>L13</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	L7 and (twisted lead or twisted wire)	11	<u>L12</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L11</u>	L10 and (enclos\$3 wire\$1 or enclos\$3 conductor\$1)	380	<u>L11</u>
<u>L10</u>	twist\$3 wire\$1 or wound wire\$1 or braid\$3 wire\$1 or wind\$3 wire\$1 or strand\$3 wire\$1	61820	<u>L10</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>		
<u>L9</u>	L7 and (twisted lead or twisted wire or cable)	536	<u>L9</u>
<u>L8</u>	L7 and (L1 or L3)	109	<u>L8</u>
<u>L7</u>	(374/163,100,185,208,179,180;338/22R;136/200)![CCLS]	6729	<u>L7</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L6</u>	L5 and "nickel"	0	<u>L6</u>
<u>L5</u>	4970352.pn.	1	<u>L5</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L4</u>	L3 and (enclos\$3 wire\$1 or enclos\$3 conductor\$1)	200	<u>L4</u>
<u>L3</u>	twist\$3 conductor\$1 or wound conductor\$1 or brad\$3 conductor\$1 or wind\$3 conductor\$1 or strand\$3 conductor\$1	12154	<u>L3</u>
<u>L2</u>	L1 and (enclos\$3 wire\$1 or enclos\$3 conductor\$1)	323	<u>L2</u>
<u>L1</u>	twist\$3 wire\$1 or wound wire\$1 or brad\$3 wire\$1 or wind\$3 wire\$1 or strand\$3 wire\$1	57975	<u>L1</u>

END OF SEARCH HISTORY